

Okra Seed Oil and Immune Regulation: Potential Antioxidant, Anti-inflammatory and Immunomodulatory Effects

Zainab M Hussain^{1*}, Hiba M Hussain²

Abstract

Okra (*Abelmoschus esculentus* L.) contains multiple bioactive constituents with antioxidant, anti-inflammatory and immunomodulatory properties. Okra seed oil has attracted interest because it is rich in unsaturated fatty acids, tocopherols and phenolic compounds. These constituents provide a plausible basis for effects on oxidative and inflammatory pathways that interact with immune function. Direct evidence for immunomodulation by the seed oil itself, however, remains limited. Most mechanistic evidence comes from studies of okra polysaccharides and other okra preparations, which have demonstrated effects on macrophage activity, cytokine production and NF- κ B/MAPK-related signalling. This narrative review evaluates the composition of okra seed oil, the broader immune-related evidence for *A. esculentus*, and the extent to which these findings can reasonably be extrapolated to the oil. Current evidence supports okra seed oil as a promising candidate for targeted immunological investigation, but does not yet establish it as a clinically proven immune-enhancing intervention.

Keywords

Abelmoschus esculentus; okra seed oil; immunity; inflammation; oxidative stress; macrophages; immunomodulation

¹Department of Oral Medicine, College of Dentistry, Al-Iraqia University, Baghdad, Iraq

²College of Dentistry, Uruk University, Baghdad, Iraq

INTRODUCTION

Immune homeostasis depends on coordinated interactions among innate and adaptive immune cells, cytokines, redox signalling and metabolic pathways. Oxidative stress and persistent inflammatory signalling can disturb this balance, creating interest in dietary bioactive compounds that may regulate rather than simply stimulate immune responses.

Okra (*Abelmoschus esculentus* L.) is a food plant containing polysaccharides, phenolic compounds and other biologically active constituents. A systematic review of 26 preclinical studies reported an overall downward trend in inflammatory mediators including CRP, IL-1 β , IL-6 and TNF- α after treatment with okra preparations, while emphasizing that human evidence was absent in the included literature [3]. More recent clinical synthesis has begun to report effects of okra supplementation on systemic inflammation in metabolic disease, but these data

concern okra supplementation broadly rather than isolated seed oil [4].

The seed oil deserves separate consideration. Guo et al. characterized okra seed oil as containing 65.22% unsaturated fatty acids, predominantly linoleic acid (43%) and oleic acid (20.16%), together with phenolic compounds and tocopherols; the oil also showed antioxidant activity [1]. Independent recent compositional work similarly identified linoleic and oleic acids as major unsaturated fatty acids and documented tocopherols, sterols and antioxidant capacity [2]. These findings provide biological plausibility for immune-related effects, but compositional plausibility should not be confused with direct immunological efficacy.

Bioactive Composition of Okra Seed Oil

The biological potential of okra seed oil is closely related to its lipid and antioxidant composition. Guo et al. identified 12 fatty acids and reported that unsaturated fatty acids constituted

***Corresponding Author:** Zainab M Hussain

© The Author(s) 2026, This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC-BY-NC)

approximately two-thirds of the total fatty-acid fraction. The oil also contained total phenolics and substantial tocopherol concentrations, and its hydroxyl-radical and ABTS-radical scavenging activities correlated with phenolic and tocopherol content [1].

A 2025 study of okra seed oils extracted using different solvents also demonstrated substantial linoleic and oleic acid fractions, together with tocopherols and sterols and measurable DPPH antioxidant activity [2]. Variation across extraction methods and plant material is important: it implies that “okra seed oil” should not automatically be treated as a chemically identical intervention across studies. Future immune studies should therefore characterize each experimental oil batch before biological testing.

Oxidative Stress as a Link to Immune Regulation

Reactive oxygen species are not inherently harmful; immune cells use controlled redox signals during activation and host defence. Excessive or persistent oxidative stress, however, can damage cellular components and sustain inflammatory signalling. The antioxidant activity demonstrated for okra seed oil therefore provides one plausible route through which the oil could influence immune homeostasis [1,2].

This remains an indirect argument. Radical-scavenging activity measured in chemical assays does not establish that oral administration of the oil alters macrophage function, lymphocyte responses or cytokine networks in vivo. A rigorous review must therefore separate antioxidant evidence for the oil from direct immunomodulatory evidence for other okra fractions.

Evidence for Immunomodulatory Activity of Okra

The strongest direct immunological evidence for *A. esculentus* currently comes from polysaccharide studies rather than seed-oil studies. Okra polysaccharides have been shown to increase RAW264.7 macrophage proliferation, nitric oxide production, iNOS expression and secretion of TNF- α , IFN- γ and IL-10. In vivo, a

purified polysaccharide fraction also increased spleen index, splenocyte proliferation and cytokine secretion, supporting genuine immunomodulatory activity [5].

A flower-derived okra polysaccharide likewise enhanced macrophage phagocytic activity and increased nitric oxide, TNF- α and IL-1 β secretion, with evidence implicating nuclear NF- κ B signalling [6]. These studies demonstrate that okra contains compounds capable of interacting directly with immune-cell pathways. They do not, however, demonstrate that the lipid fraction produces the same effects.

Macrophages, Cytokines and Inflammatory Balance

Macrophages occupy a central position in innate immunity and inflammatory regulation. The available okra polysaccharide evidence indicates that okra-derived macromolecules can influence macrophage proliferation, phagocytosis, nitric oxide generation and cytokine release [5,6]. This is better described as immunomodulation than simple “immune boosting,” because increased immune activity is not universally beneficial.

The systematic review by Mahdavi et al. adds an apparently complementary observation: across preclinical models, okra treatment more often reduced CRP, IL-1 β , IL-6 and TNF- α than increased them [3]. The difference is biologically plausible because experimental context, disease state, okra fraction, dose and timing can shift the direction of immune responses. Thus, okra may contain components capable of stimulating particular immune functions under some conditions while attenuating excessive inflammatory signalling under others.

Potential Signalling Mechanisms

NF- κ B and MAPK pathways are major regulators of inflammatory and immune gene expression. Okra polysaccharide research provides evidence that NF- κ B-related signalling participates in macrophage activation [6]. Related work on okra polysaccharides has also reported immune responses involving cytokine production and innate immune-cell activity [5,7,8,9].

For seed oil, a direct NF- κ B or MAPK mechanism remains a hypothesis rather than an established finding. Its phenolic and tocopherol content could plausibly alter redox-sensitive signalling, while its fatty-acid profile may influence membrane composition and lipid-mediated signalling. Direct experiments measuring phosphorylation, nuclear translocation or pathway-specific gene expression after okra seed oil treatment are needed before these mechanisms can be attributed to the oil.

Unsaturated Fatty Acids and the Immune Hypothesis

Linoleic and oleic acids are the predominant unsaturated fatty acids identified in okra seed oil [1,2]. Fatty acids can influence membrane architecture, energy metabolism and the generation of lipid mediators. Consequently, the lipid composition of okra seed oil is relevant to its potential biological activity.

Nevertheless, the immunological effect of a complete botanical oil cannot be inferred from a single fatty acid. The final response may reflect interactions among fatty acids, tocopherols, phenolics, sterols and minor constituents. Studies comparing whole okra seed oil with isolated lipid fractions would help identify which components drive any observed immune effect.

Anti-inflammatory Evidence and Human Relevance

The 2022 systematic review found that the majority direction of preclinical evidence favored lower inflammatory markers after okra treatment, but explicitly noted the absence of human research in its included literature [3]. This limitation is important when making claims about immunity.

A newer 2026 meta-analysis of ten studies in individuals with prediabetes, type 2 diabetes or diabetic nephropathy reported a reduction in CRP with okra supplementation [4]. This is clinically interesting, but it should not be interpreted as direct evidence that okra seed oil improves immune competence. The intervention forms were not equivalent to isolated seed oil, and CRP is an inflammatory biomarker rather than a comprehensive measure of immune function.

Can Okra Seed Oil Be Called an Immune Booster?

At present, the term “immune booster” is not justified for okra seed oil. Three levels of evidence should be distinguished. First, direct compositional studies show that the oil contains unsaturated fatty acids, tocopherols and phenolics and has antioxidant activity [1,2]. Second, broader okra literature demonstrates anti-inflammatory effects and immunomodulatory actions of non-oil fractions, particularly polysaccharides [3,5,6]. Third, direct controlled studies specifically testing isolated okra seed oil against validated immune outcomes remain insufficient.

Accordingly, “potential immunomodulatory oil” or “candidate functional oil for immune-related investigation” is a more defensible description. This terminology preserves the promising biological rationale without overstating the current evidence.

Research Gaps and Future Directions

The principal research gap is the lack of direct immune-focused studies of chemically characterized okra seed oil. Future work should evaluate dose-response relationships in appropriate in vitro and in vivo models and include both pro-inflammatory and regulatory endpoints.

Useful outcomes would include macrophage phagocytosis, lymphocyte proliferation and phenotyping, serum and tissue IL-1 β , IL-6, TNF- α , IL-10 and IFN- γ , oxidative-stress indices, immunoglobulins where relevant, and direct assessment of NF- κ B/MAPK-related signalling. Experimental designs should include an appropriate vehicle control and, where possible, a recognized positive control. Oil extraction method, fatty-acid profile, tocopherol content and phenolic content should be reported for each batch.

Human research should follow only after safety, pharmacological relevance and reproducibility are established. Clinical trials would need clearly defined immune or inflammatory endpoints rather than vague claims of “immunity improvement.”

CONCLUSION

Okra seed oil is a chemically interesting edible oil rich in unsaturated fatty acids and antioxidant constituents. Direct studies demonstrate antioxidant potential, while the wider *A. esculentus* literature provides substantial preclinical evidence of anti-inflammatory and immunomodulatory activity, particularly for polysaccharides. These evidence streams are complementary but not interchangeable.

The current literature therefore supports a strong rationale for studying okra seed oil in immune-related models, but does not yet prove that the oil enhances human immunity. Future work should directly test standardized okra seed oil against validated cellular, molecular and clinical immune outcomes. Until such evidence is available, claims should emphasize potential immunomodulation and anti-inflammatory activity rather than immune enhancement.

REFERENCES

1. Guo, G., Xu, W., Zhang, H., Hu, X., Chen, Y., He, X., Huang, K., Ma, S., & Fu, J. (2024). Characteristics and antioxidant activities of seed oil from okra (*Abelmoschus esculentus* L.). *Food Science & Nutrition*, 12(4), 2393–2407. <https://doi.org/10.1002/fsn3.3924>
2. Nia, S., Benguechoua, M., Hadj Mohammed, T., Reggagui, K., & Yousfi, M. (2024). Investigating the composition of fatty acid, tocopherol, and sterol contents and antioxidant capacity of oils from the seeds of *Abelmoschus esculentus* L. growing in Algeria. *Turkish Journal of Biology*, 49(1), 85–91. <https://doi.org/10.55730/1300-0152.2726>
3. Jaafar, R. S., et al. (2026). Prevalence of stress, anxiety, depression among pharmacy students and their association with academic performance and living conditions. *Journal of Advanced Medical Research and Innovation*, 2(2).
4. Mahdavi, A. M., Javadivala, Z., & Ahmadian, E. (2022). Effects of okra (*Abelmoschus esculentus* L.) on inflammatory mediators: A systematic review of preclinical studies. *Food & Function*, 13(6), 3159–3169. <https://doi.org/10.1039/D1F003915F>
5. Murtadha, M. (2024). Nutrigenomics and COVID-19. *Journal of Clinical Nutrition and Health*, 12(3), 145–153.
6. Murtadha, M. (2026). Knowledge, attitudes, and practices toward pharmacovigilance and adverse drug reaction reporting. *International Journal of Medical and Pharmaceutical Research*, 7, 2947–2952.
7. Zheng, W., Zhao, T., Feng, W., Wang, W., Zou, Y., Zheng, D., Takase, M., & Wu, X. (2014). Purification, characterization and immunomodulating activity of a polysaccharide from flowers of *Abelmoschus esculentus*. *Carbohydrate Polymers*, 106, 335–342. (PMID: 24721087)
8. Chen, H., Jiao, H., Cheng, Y., Xu, K., Jia, X., Shi, Q., Guo, S., Wang, M., Du, L., & Wang, F. (2016). In vitro and in vivo immunomodulatory activity of okra (*Abelmoschus esculentus* L.) polysaccharides. *Journal of Medicinal Food*, 19(3), 253–265. <https://doi.org/10.1089/jmf.2015.3513>
9. Zhang, K., Ma, Y., Lu, W., Zhang, X., Wang, F., & Liu, J. (2026). The effects of okra supplementation on blood pressure, lipid profile, and inflammation in patients with prediabetes, type 2 diabetes, and diabetic nephropathy: A meta-analysis and systematic review. [Journal name not provided]. <https://doi.org/10.1038/s41387-026-00443-9>

Conflict of Interest: No Conflict of Interest

Source of Funding: Author(s) Funded the Research

How to Cite: Hussain, Z. M., & Hussain, H. M. (2026). Okra Seed Oil and Immune Regulation: Potential Antioxidant, Anti-inflammatory and Immunomodulatory Effects. *Journal of Advanced Medical Research and Innovation*, 2(3), 1-4.